


**AMENDMENTS TO THE CLAIMS**

This listing of claims replaces all prior listing of claims in the application.

1. (Presently amended) A compound of Formula I or Formula II



or pharmaceutically acceptable salt thereof, wherein

R<sup>1</sup> is selected from the group consisting of

- (a) phenyl, optionally substituted at positions 3 and 4 halogens,
- (b) -O-isopropyl,
- (c) -O-cyclopropyl, and
- (d) -O-CH<sub>2</sub>-cyclopropyl;

R<sup>2</sup> is selected from the group consisting of:

- (a) -S(O)<sub>2</sub>CH<sub>3</sub>, and
- (b) -S(O)<sub>2</sub>NH<sub>2</sub>;

R<sup>3</sup> is selected from the group consisting of

- (a) hydrogen,
- (b) methyl,
- (c) ethyl,
- (d) hydroxyl,

- (e) F, Cl, and
- (f)  $\text{CF}_3$ ;

$\text{R}^4$  is selected from the group consisting of

- (a) methyl, and
- (b) ethyl;

$\text{X}^1$  is selected from the group consisting of:

- (a)  $-\text{OCH}_2-$ ,
- (b)  $-\text{OC}(\text{R}^3)(\text{R}^4)-$ ,
- (c)  $-\text{CH}_2\text{-linker}-\text{O}-$ , and
- (d)  $-\text{C}(\text{R}^3)(\text{R}^4)\text{-linker}-\text{O}-$ ,

wherein the oxygen end of  $\text{X}^1$  is attached to the carbonyl carbon of Formula I;

$\text{X}^2$  is selected from the group consisting of:

- (a)  $-\text{OCH}_2-$ ,
- (b)  $-\text{OC}(\text{R}^3)(\text{R}^4)-$ ,
- (c)  $-\text{CH}_2\text{-linker}-\text{O}-$ , and
- (d)  $-\text{C}(\text{R}^3)(\text{R}^4)\text{-linker}-\text{O}-$ ;

wherein the carbon end of  $\text{X}^2$  is attached to the carbon adjacent to the  $\text{R}^2$ -phenyl explicitly shown;

$-\text{linker}-$  is selected from the group consisting of

- (a)  $-\text{C}(\text{O})-(\text{CH}_2)_m-\text{O}-$ ,
- (b)  $-\text{C}(\text{O})-(\text{CH}_2)_m(-\text{O}-(\text{CH}_2)_n)_p-\text{O}-$ , and
- (c)  $-\text{C}(\text{O})\text{-aryl}-\text{O}-$ ,
- (d)  $-\text{C}(\text{O})\text{-heteroaryl}-\text{O}-$ ,

wherein m, n and p are each independently integers ranging from 0 to 6;

Y is selected from the group consisting of

- (a) hydrogen, and
- (b) acyl,

wherein the acyl group is selected from the group consisting of

- (a)  $-\text{C}(\text{O})-\text{C}_{1-6}\text{alkyl}$ , optionally substituted with 1, 2 or 3 substituents independently selected from the group consisting of halo, hydroxyl, amino,  $\text{C}_{1-3}\text{alkoxy}$ ,  $\text{aminoC}_{1-3}\text{alkyl}$ ,
- (b)  $-\text{C}(\text{O})\text{-aryl}$ , and

- ~~(e) —C(O)—heteroaryl,~~  
~~(d) (c)~~ an amino acid;

Z is selected from the group consisting of:

- (a) —OR<sup>5</sup>,  
(b) —NR<sup>5</sup>R<sup>6</sup>,

wherein R<sup>5</sup> and R<sup>6</sup> are each independently selected from

- (a) hydrogen,  
(b) C<sub>1-6</sub>alkyl,  
(c) phenyl, and  
(d) C<sub>1-2</sub>-phenyl,

wherein R<sup>5</sup> and R<sup>6</sup> choices (b), (c) and (d) are optionally substituted with 1, 2, or 3 substituents selected from halo, hydroxyl, amino, C<sub>1-3</sub>alkyl, and ~~C<sub>1-3</sub>alkoxy~~; C<sub>1-3</sub>alkoxy;

X is selected from the group consisting of:

- (a) —OCH<sub>2</sub>—, and  
(b) —C(R<sup>3</sup>)(R<sup>4</sup>)O—,

wherein the carbon at the end of X is attached to the carbon adjacent to the phenyl;

Y<sup>1</sup> is —linker1—, which is selected from the group consisting of


- (a) —C(O)-(CH<sub>2</sub>)<sub>r</sub>-C(O)—,  
(b) —C(O)-aryl-C(O)—,  
~~(c) —C(O)-heteroaryl-C(O)—,~~  
~~(d) (c)~~ —C(O)-(CH<sub>2</sub>)<sub>r</sub>-(O-(CH<sub>2</sub>)<sub>s</sub>)<sub>t</sub>-C(O)—, and  
~~(e) (d)~~ —C(O)-(CH<sub>2</sub>)<sub>r</sub>-CH-(CH<sub>2</sub>)<sub>s</sub>-C(O)—,

wherein r, s and t are each independently integers ranging from 0 to 6; 6; and

Z<sup>1</sup> is selected from the group consisting of:

- (a) —OR<sup>5</sup>, and  
(b) —NR<sup>5</sup>R<sup>6</sup>.

2. (Original) A compound according to claim 1 of Formula I



3. (Original) A compound according to claim 2 wherein:  
 $R^1$  is phenyl, optionally substituted at positions 3 and 4 with fluorine.

4. (Original) A compound according to claim 2 wherein:  
 $R^2$  is  $-\text{S}(\text{O})_2\text{CH}_3$ .

5. (Original) A compound according to claim 2 wherein:  
 $R^3$  is selected from the group consisting of

- (a) hydrogen,
- (b) methyl, and
- (c) ethyl.

6. (Original) A compound according to claim 2 wherein:  
 $X^1$  and  $X^2$  are each is selected from the group consisting of:

- (a)  $-\text{OCH}_2-$ , and
- (b)  $-\text{OC}(\text{R}^3)(\text{R}^4)-$ .

7. (Original) A compound according to claim 2 wherein:  
 $Y$  is hydrogen or  $-\text{OCH}_3$ .

8. (Original) A compound according to claim 2 wherein:  
 $Z$  is hydroxyl or  $-\text{OCH}_3$ .

9. (Original) A compound according to claim 2 wherein:  
 $R^1$  is phenyl, optionally substituted at positions 3 and 4 with fluorine;  
 $R^2$  is  $-\text{S}(\text{O})_2\text{CH}_3$ ;  
 $R^3$  is selected from the group consisting of

- (a) hydrogen,
- (b) methyl, and
- (c) ethyl;

R<sup>4</sup> is selected from the group consisting of

- (a) methyl, and
- (b) ethyl;


X<sup>1</sup> and X<sup>2</sup> are each is selected from the group consisting of:

- (a) -OCH<sub>2</sub>-, and
- (b) -OC(R<sup>3</sup>)(R<sup>4</sup>)-;

Y is hydrogen or -OCH<sub>3</sub>; and

Z is hydroxyl or -OCH<sub>3</sub>.

10. (Original) A compound according to claim 1 of Formula II



II

11. (Original) A compound according to claim 10 wherein:  
R<sup>1</sup> is phenyl, optionally substituted at positions 3 and 4 halogens.

12. (Original) A compound according to claim 11 wherein:  
R<sup>2</sup> is -S(O)<sub>2</sub>CH<sub>3</sub>.

13. A compound according to claim 12 wherein:

R<sup>3</sup> is selected from the group consisting of

- (a) hydrogen,
- (b) methyl, and
- (c) ethyl.

14. (Original) A compound according to claim 13 wherein:

Y<sup>1</sup> is selected from  $-(O)C(H)=C(H)C(O)-$  and  $-(O)C(CH_2)_2C(O)-$ .

15. (Original) A compound according to claim 14 wherein:

Z<sup>1</sup> is hydroxyl or  $-OCH_3$ .

16. (Original) A compound according to claim 15 wherein:

R<sup>1</sup> is phenyl, optionally substituted at positions 3 and 4 halogens;

R<sup>2</sup> is  $-S(O)_2CH_3$ ;

R<sup>3</sup> is selected from the group consisting of

- (a) hydrogen,
- (b) methyl, and
- (c) ethyl;

Y<sup>1</sup> is selected from  $-(O)C(H)=C(H)C(O)-$  and  $-(O)C(CH_2)_2C(O)-$ ; and


Z<sup>1</sup> is hydroxyl or  $-OCH_3$ .

17. (Cancelled)


18. (Cancelled)

19. (Original) A pharmaceutical composition comprising a compound according to Claim 1 and a pharmaceutically acceptable carrier.


20. (Presently amended) A compound according to claim 1 selected from




1




2




3



2



2



2



